

JEFIMIJADES, R.; VUCKOVIC, S.

Water-power station of Ovcar Banja. p. 186. (ELEKTRO RIVNEKA, Vol. 7,
no. 4, July/Aug. 1954, Beograd, Yugoslavia)

SG: Monthly list of East European Accessions, (EEL, LC, Vol. 4, no. 1
Jan. 1955, Uncl.

"APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000619610009-9

JEFTIMIJADEV, Stanislav, prof. inz.

Normalization of the works in the design and projecting of
railroads. God. zbor teh Univ Skopje 4:5-28 '59/61.

APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000619610009-9"

JEFIMOVIC, Djordje

MILENKOVIC, Petar; PEROVIC, Milos; JEFIMOVIC, Djordje; STAMBOLOVIC, Andjelija

Metastatic tumors of the central nervous system. Srpski arh. celok. lek.
85 no.5:516-521 Mar 57.

1. Neurohirurska klinika Medicinskog fakulteta u Beogradu. Upravnik:
prof. dr. Slobodan Kostic. Radioloski Institut Medicinskog fakulteta u
Beogradu. Upravnik: prof. dr. Bogoljub Bosnjakovic. Patolosko-anatomski
institut Medicinskog fakulteta u Beogradu. Upravnik: prof. dr. Marija
Visnjic Trajdn.

(CENTRAL NERVOUS SYSTEM, neoplasms
metastatic (Ser))

JEFTIMOVIC, Dorde

Causes of recurrences in patients operated on for hernia of the intervertebral disk. Srpski arh. celok. lek. 89 no.5:597-601 My '61.

1. Neurohirurska klinika Medicinskog fakulteta Univerziteta u Beogradu.
Upravnik: prof. dr Slobodan Kostic.

(INTERVERTEBRAL DISK DISPLACEMENT surg)

BOGICEVIC, D.; NESKOVIC, S.; JEFTOVIC, Z.

Extrapyramidal phenomena in epilepsy. Neuropsichiatria 11 no.2:
191-197 '63.

l. Iz Neuropsihijatrijskog odelenja Bolnice "Dr. Dragisa Misovic"
Beograd (Sef: Prim. dr. V. Klajn).

"APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000619610009-9

JEGES, Karoly, tanszekvezeto foiskolai tanar (Pecs)

Electroluminescence. Term tud kozl 7 no.10:439-443 0 '63.

APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000619610009-9"

FORGACS, Jozsef; KOVACS, Laszlo; JEGESI, Leontin

(On the problem of epidemic hepatitis in pregnancy and its
significance for the fetus. Orv hetil 95 no.13:346-348 Mr '54.
(HEAL 3:8)

1. A Nephadsereg Egeszsegugyi Szolgatalanak kozlemenye.
(HEPATITIS, INFECTIOUS, in pregn.
*manifest. in newborn)
(PREGNANCY, in various dis.
*hepatitis, infect., manifest. in newborn)

KISS, Istvan, dr.; JEGESI, Leontin, dr.

Pathological anatomy of x-ray injuries influenced by azulenol administration. Magy. radiol. 7 no.4:212-217 Oct 55.

1. A Magyar Nephadsereg Egeszsegygy Szolgatala.

(ROENTGEN RAYS, effects
total body, protective eff. of azulenol in mice,
pathol. aspects.)

(CYCLOPENTANES, effects
azulenol, protective eff. against total body x-ray
injuries in mice, pathol. aspects.)

L 03244-67 20-50 EXT(1) JK

ACC NR: AP6034501 (AN) SOURCE CODE: UR/0197/66/000/010/0055/0062

AUTHOR: Cinovskis, J.; Jegina, K. Zilsparde, A. Cibulska, A.

20

B

ORG: Institute of Biology, Latvian Academy of Sciences (Biologijas institūts,
Latvijas PSR ZA)

TITLE: Basic trends and future prospects in biological pest control ✓

SOURCE: AN LatSSR. Izvestiya, no. 10, 1966, 55-62

TOPIC TAGS: pest, pest control, biological pest control, trichogramma,
parasite, microorganism, fungus, virus, plant pest

ABSTRACT: Biological pest control methods rely on utilizing a pest's natural
enemies, such as parasites and predators. These enemies are preferably not
poisonous to humans and domestic animals. Sterilization of pests by ionizing
radiation or chemicals is used. In contrast to chemical methods that require
continuous synthesis of new substances, biological methods are designed to study
and utilize natural processes so that the predator may control the pest. Such
predators are: microorganisms (viruses, bacteria, fungi, and other unicellular
organisms), worms, mites, spiders, insects, amphibians, reptiles, birds, and

Card 1/4

I. 08244-67

ACC NR: AP6034501

mammals. Since their number is generally inadequate for mass pest control, the biologist must create conditions favorable for artificial breeding. The majority of plant pests and their predators are insects. These natural enemies attack their prey or parasitize them. Aphelinus mali, wasp, was used to control apple tree blight in which the causative agent was Eriozoma lanigerum. Large-scale importation of predators has been successful elsewhere. In the Soviet Union, twelve different parasites and predators have been acclimatized to combat cultivated plant pests. Native parasite species (trichogramma) have been used successfully to control plant pests. Three species commonly used in the Soviet Union are to control of fruit, vegetable, and forest pests: Tr. evanescens, Tr. cacoecia, and Tr. embryophagum. Trichogramma is an ovarian parasite and is widely distributed but does not multiply abundantly by natural means. Therefore it is raised artificially. Sixteen strains of the above three species have been studied in the Latvian SSR since 1958, and have been successfully employed against: the lesser apple worm (*Laspeyresia pomonella*), the black-pea moth (*L. nigricana*), and the pine-shoot moth (*Evetria buoliana*), resulting in marked decreases in crop losses. A special laboratory of biomethods established at the Ogre Testing Station under the Latvian Ministry of Agriculture has been producing Trichogramma preparations since 1961 for local use and export. Insects were sterilized by exposure to gamma rays,

L 08244-67
ACC NR: AP6034501

x-rays, or chemicals but their ability to mate was not impaired. No progeny result from such matings. The Institute of Biology of the Latvian Academy of Sciences has sterilized beet pests and apple-blossom weevils using an atomic reactor, and is also developing chemical sterilants. The successful use of entomopathogens has been reported. Microorganisms are useful as they are usually species-specific and adapt themselves readily, multiplying rapidly in the host and causing disease on a massive scale. Fungi and fungi imperfecti were the first agents used in biological pest control, causing muscardinoses and aspergilloses in pests. Various ascomycetes affect at least 50 types of plant pests. Beauveria bassiana is fatal to a large variety of pests, including apple-tree moths and potato beetles. Treatment of the potato beetle with a locally made fungus preparation resulted in a 92% mortality rate. The fungus is raised on a nutrient medium; when the spores are ready, the fungus is separated or dried together with the medium and mixed with a filler (a neutral substance) before application. Spore-forming bacteria Bac. papillia, Bac. lenticmorbus, Bac. thuringiensis, Bac. cereus, and Bac. entomocidus have been used against moth and fly larvae. They multiply well on artificial media. The most promising biological control agents are the viruses. Insects are susceptible to many virus-caused granuloses, both nuclear and cytoplasmic. Use of virus preparations has resulted in 80% kills of cabbage and tussock moths. Other insect species are attacked by this preparation in all stages of development. Factors affecting

Card 3 / 4

L 08244-67

ACC NR: AP6034501

usefulness of microbiological control methods are: virulence of the microorganism, temperature and humidity of environment, susceptibility of the pest to the microbe which in turn is affected by natural immunity of the pest, its food supply, density per unit area of the local pest population and the microflora contained in the insect's intestinal tract. Considerable importance is attached to the weakening of the pest; this has led to an "integrated" approach to pest control wherein sublethal doses of insecticides are applied simultaneously with microorganisms. Physiological disturbances caused by the insecticide make the pest more vulnerable to microbial attack. Orig. art. has: 4 figs. [W.A. 50]

SUB CODE: 06 / SUBM DATE: 29Apr66 / ORIG REF: 029 / OTH REF: 006 /

Card 4/4

"APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000619610009-9

JEGLIC, Oskar, kap. boj. broda

Modern construction of submarines. Transition from the diver to the
true today's submarine. Brodogradnja 5 no.2:45-53 '54.

APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000619610009-9"

JEGLIC, Oskar, kapetan bojnog broda

Modern construction of submarines. The war and postwar types, and
their armament. Brodogradnja 5 no.6:245-265 '54.

"APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000619610009-9

JEGLIC, Sergej, inz.

Automation of shielded arc welding. Automatika 3 no.1:27-30 F '62.

APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000619610009-9"

JEGLINSKI, Tadeusz

Some notes on the use of Xylocaine-Spray in otorhinolaryngological practice. Otolaryng. Pol. 18 no.4:557-560 '64

1. Z Kliniki Otolaryngologicznej Akademii Medycznej w Warszawie (Kierownik: prof. dr. med. J. Szymanski).

ZMRHAL, Z.; JEGOROV, C.; KEIL, B.

Proteins. Pt. 87. Coll Cz Chem 29 no.4:943-952 Ap '64.

1. Institute of Organic Chemistry and Biochemistry,
Czechoslovak Academy of Sciences, Prague.

JEGOROW, K. A.,

ZASADY MECHANIZACJI PRACY ZALADUNKOWYCH I WYLADUNKOWYCH W HUTNICTWIE. (PRINCIPLES OF MECHANIZATION OF REFINING AND PROCESSING WORK IN FOUNDRIES). Wydawnictwo Gorniczo-Hutnicze, 1955,

335 p.

JEHLAR, Emil, Inz.

Press conference on the scientific system of management in agriculture.
Vestnik CSAZV 8 no.5:309-311 '61, (EEAI 10:6)
(Czechoslovakia--Agriculture)

CZECHOSLOVAKIA/Optics - Physical Optics

K-5

Abs Jour : Rof Zhur - Fizika, No 10, 1958, No 23859

Author : Kroupa F., Jehlicka B.
Inst : Czechoslovak Academy of Sciences, Prague, Czechoslovakia
Title : Investigation of the Surface Quality with the Aid of Multiple Interference.

Orig Pub : Jema roch, a opt., 1957, 2, No 5, 131-136

Abstract : Certain results are given of the theory of multiple interference. A simple device is described for the measurement of the microrelief of a surface with the aid of multiple interference, which is adapted for a metallographic microscope. The instrument makes it possible to measure the heights of surface irregularities from 0.005 to 1 micron with an accuracy of 0.005 microns.

Card : 1/1

JEHLIKKA, Lubomir, Dr.

Solved tasks from veterinary medicine. Vestnik CSAZV 8 no.5:264-
267 '61.
(EEAI 10:6)
(Czechoslovakia--Veterinary medicine)

JEHLICKA, Lubomir, dr.

A solved task from the veterinary medicine. Vestnik
CSAZV 9 no.3:124 '62.

"APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000619610009-9

JIRHLICKA, M.

"Automatic Removal of Unworkable Material and Waste in the Operational Process of Disintegrators." p. 50, Praha, Vol. 9, no. 3, Mar. 1954.

SO: East European Accessions List, Vol. 3, No. 9, September 1954, Lib. of Congress

APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000619610009-9"

JEHLIKKA, F.

JEHLIKKA, P. Organization of work and management of operations in experimental laboratories. p. 265. Importance of the Thomas process and particulars about its beginnings in Kladno. p. 268.

Vol. 11, no. 4, Apr. 1956

HUTNICKE LISTY

TECHNOLOGY

Czechoslovakia

So: East European Accession, Vol. 6, No. 5, May 1957

JEHLIKKA, Rudolf, inz.

"Assembly of small and middle-sized transformer stations"
by J. Triska. Reviewed by Rudolf Jehlicka. El tech dbzcr
50 no.12:700 D '61.

JEHLICKA, Rudolf, inz.

Present state of protection of large squirrel-cage motors. El tech
obzor 52 no.3:145 Mr '63.

1. Reditalstvi budovanych elektraren.

JEHLICKA, Stanislav

PADR, Zdenek; URBANKOVA, Jana; JEHLICKA, Stanislav

Paper chromatography of insulin. Cesk.farm. 4 no.6:311-313 Jl '55.

1. Z Vyzkumneho ustavu pro farmacii a biochemii v Praze.
(INSULIN, determination,
chromatography)
(CHROMATOGRAPHY,
of insulin)

JELLINEK, V.

The dipole moments of methoximes, A. Kelen, V. Jelinek, and K. Dvorak (Tech. Univ., Prague). Collection Czech. Chem. Commun., 16, 13-22 (1951). Methoximes are colorless, oily liquids of pleasant odor, stable in the pure state, but less pure samples deteriorate slowly under the influence of light. Benzophenone methoxime is cryst. and decomps. before melting. Consts. for pinacolone and cyclopentanone methoximes are, resp.: b.p./mm. Hg 52.5/56, 36/10; d_{4}^{20} 0.8363, 0.9475; n_{D}^{20} 1.4209, 1.4509; $\pi_F - \mu_C$ 0.03563, 0.03728; $|R|_n$ exptl. 39.451, 32.456, calcd. 39.31, 32.39; σ^2 2.7894, --; μ_F 0.98, --. The ds., dielectric constants, and polarization of benzene solns. of the methoximes are tabulated. The dipole moments of the methoximes in dil. soln. (μ_d) and in the pure liquid (μ_l) of the following are, resp.: acetone 1.172, 1.20; 2-butinone 1.118, 1.19; pinacolone 0.93, 0.98; cyclopentanone 1.262, --; cyclohexanone 1.278, 1.25; benzaldehyde 0.630, 0.82; acetophenone 0.790, 0.93; benzophenone 0.589, --; cyclohexanone ethoxime 1.200, 1.22. The calcd. and exptl. dipole moments are compared. The slopes of the straight lines, the s values, are obtained by plotting the differences between the dipole moments of the halides RX and MeX vs. the electronic refractions, R , of C-Cl, C-Br, and C-I bonds and drawing straight lines through representative points of analogous nols. ($s = \text{const.}$) to the origin (thus $\mu_l = 0$ for $R = 0$). The s values ($\mu_l = \alpha_s$, where μ_l is an interaction term and α is the polarizability of the functional group) are as follows: Me 1.0, dimethyl 2.2, trimethyl 3.1, α -Me 0.5, β -Me 0.5, γ -Me 0.5, δ -Me 0.5, α -Et 2.4, cyclopentenyl 3.1, cyclohexenyl 3.3, phenyl 3.3. The relatively low dipole moments of the methoximes prove that the Me group is attached to O, since N -Me ethers of the oximes would contain a semipolar bond with charges on N and O and would be much more polar. Minor variations in the dipole moments of aliphatic and alicyclic methoximes are attributed to inductive effects and steric factors. The behavior of aromatic members is explained by mesomerism, and it was noted that the dipole moment of the methoximes is proportional to the refractive exaltation.

W. M. R.

CZ/8-52(B2)-10-6/39

AUTHORS: Jehlička, V and Reiser, A.

TITLE: Dipole Moments and Configuration of Cadinene Dihydrohalide Derivatives (Dipólmomenty a konfigurace kadinene dihydrohalogenidů)

PERIODICAL: Chemické Listy, 1958, Vol.52(S2), Nr 10, pp 1877 - 1881
(Czechoslovakia)

ABSTRACT: The dipole moments of cadinene dihydrochloride and cadinene dihydrobromide were defined. The observed values confirmed in both rings a fork configuration. These rings are trans-annealed and both halogens are axially linked. The measured dipole moments allow for a 35°-5° angle variation of the C-halogen links. This result is interpreted as an equilibrium between the electrostatic repulsion of the halogen and the mechanical stability of the molecules, and was calculated and analysed on a simplified model. The dipole moments of both derivatives are approximately twice as great as the dipole moments of the corresponding halogen cyclohexanes. The physical constants of bromocyclohexane, 1-methyl-1-chlorocyclohexane and of the cadinene halides are given in

Card 1/4

✓

CZ/8-52(82)-10-6/39

Dipole Moments and Configuration of Cadinene Dihydrohalide Derivatives

Table 1. The dielectric constants and density of these compounds in benzene solutions at 25°C (Table 2) were measured. On more accurate analysis of the obtained values it was found that the dipole moments of the cadinene dihydrohalides are smaller than could be expected for C-X link configuration. These anomalies are due either to the fact that not all molecules show the same configuration, and that part of the molecule has a configuration with a lower dipole moment, or that the links of the two halogen atoms are not parallel. The chlorine and bromine derivative, therefore, has the same angle between the two C-X links i.e. $35 \pm 5^\circ$. Measurement of the dipole moments does not make it possible to decide between the two alternatives. However, in a diluted solution, the molecules are isolated and a mutual repulsion of the two negatively-charged halogens can be assumed. The repulsion between the halogens and energy constants is discussed with the help of a model shown in Fig.1, and equations for the minimum potential energy and for the energy constants are given. Table 3: values for the energy constants of a Urey-Bradley field. The energy constants

Card 2/4

CZ/8-52(82)-10-6/39

Dipole Moments and Configuration of Cadinene Dihydrohalide Derivatives

for trans-1,4-dihalogenocyclohexanes were determined by various investigators (Refs. 9 - 11) as it had the nearest structure to cadinene dihydrohalides (Table 3). The observed deviation for C-X bonds correspond to the mechanical vibration properties of the molecule. The difference between the observed values for the dipole moments of cadinene dihydrohalides and those of ideal configurations, for instance of crystals, can be caused by transfer of a certain number of molecules into the configuration of the lower dipole moments, and also by bending of the C-X linkages under the influence of the electrostatic repulsion between the two halogens.

Card 3/4

COUNTRY:	: Czechoslovakia	B-4
CATEGORY:	:	
ABS. JOUR.:	: RZhKhim, No. 5 1960, No.	16628
AUTHOR:	: <u>Jehlicka, V.</u> and Reiser, A.	
INST.:	: Not given	
TITLE:	Dipole Moments and Configuration of Cadinenedihydrohalogenides	
ORIG. PUB.:	Collection Czechoslov Chem Commun, 24, No 4, 1250-1255 (1959)	
ABSTRACT:	See RZhKhim, 1959, No 22, 77460.	
CARD: 1/1		

HORYNA, J.; JEHLICKA, V.

Polarographic and polarimetric measurements by means of graphite
electrode impregnated with wax. Coll Cz Chem 25 no.7:1769-1774
(EEAI 10:9)
Jl '60.

1. Forschungsinstitut fur organische Synthesen, Pardubice-Rybitvi.

(Polarograph and polarography) (Polarimetry)
(Electrodes)

HORYNA, J.; JEHLICKA, V.

Vibrating mercury capillary electrodes for oscillographic polarography. Coll Cz Chem 27 no.5:1326-1329 My '62.

1. Forschungsinstitut fur organische Synthesen, Pardubice
- Rybitvi.

FRANC, Jaroslav, inz.; HAJKOVA, Marie; JEHLICKA, Vladimir

Determination of aromatic substances separated by paper chromatography and thin-layer chromatography. Chem zvesti 17 no.8:542-549 '63.

1. Vyzkumny ustav organickych syntez, Pardubice - Rybitvi.

EXNER, O.; JEHLICKA, V.

Determination of configuration and conformation of complicated molecules on the basis of dipole moments. Coll Cz Chem 30 no.3: 639-651 Mr '65.

1. J. Heyrovsky Institute of Polarography of the Czechoslovak Academy of Sciences, and Department of Physical Chemistry of the Institute of Chemical Technology, Prague. Submitted April 9, 1964.

JEHLICKA, Vl.; LAKOMY, J.

Polarographic determination of aromatic aldehydes in mixture.
Chem prum 15 no.3:163-165 Mr '65.

1. Research Institute of Organic Syntheses, Pardubice-Rybítví.

JEHLIKOVÁ, J.

Influences on the final properties of insulations. Stavivo
42 no. 3:86-87 Mr '64.

1. Stavební izolace National Enterprise, Prague.

MALEK, Prokop; Technicka spoluprace: JELLINEK, M.; SKULLOVA, M.;
STYS, V.

Dynamics of circulation of substances in the organism during
shock. Cas. lek. cesk. 95 no.17:449-454 27 Apr 56.

1. Ustav klinicke a experimentalni chirurgie, Praha.

(SHOCK, experimental
hemodynamics of procaine penicillin in animals. (Cx))

(PENICILLIN, derivatives
procaine penicillin, hemodynamics in expr. shock in
animals. (Cx))

LEHKY, Theodor
SURNAME, Given Names

JEHLICKOVA, M.

5

Country: Czechoslovakia

Academic Degrees: Magister pharmaciae

Affiliation: Institute of Hematology and Blood Transfusion (Ustav hematologie a krevni transfuse), Prague; Director: Prof. Jaroslav HOREJSI,

Source: Dr. Sc.
Prague, Vnitri Lekarstvi, Vol VII, No 5, 1961, pages 521-524.

Data: "Effect of Repeated Blood Donations on Body Weight."

Co-author:

NOVAK, Josef, MD, Institute of Hematology and Blood Transfusion
Prague.

JEHLICKOVA, M., /technical cooperation/, /not given/

SOMMERJOVA, L., /technical cooperation/, /not given/

8PO 981643

NIKLA, J.; LEHKY, T.; Technicka spoluprace JEHLICKOVA, M.

Metabolism of Heteroplasma. III. Effect of the simultaneous application of biologically-active substances on weight curves in the rat.
Cesk. gastroent. vyz. 15 no.2:107-111 Mr '61.

1. Ustav hematologie a krevni transfuze, Praha, red. prof. Dr. Sc.
MUDr. J. Horejsi.

(PROTEIN HYDROLYSATES) (BODY WEIGHT)

HOREJSI, J.; LEHKY, T.; NIKL, J.; ZMESKALOVA, D.; technicka spoluprace:
JEHLIKOVÁ, M.; STERBIKOVA, J.

Use of heterologous plasma with glutathione in exsanguinated experimental animals. Rozhl. chir. 41 no.10:662-666 O '62.

1. Ustav hematologie a krevni transfuze v Praze, reditel prof. dr.
J. Horejsi, DrSc.
(GLUTATHIONE) (BLOOD TRANSFUSION) (HEMORRHAGE)

LEHKY, T.; ZMESKALOVA, D.; MALEK, J.; Technicka spoluprace:
JEHLIKOVÁ, M.

Study of the effect of dextran on the pathogenesis of allergic
reactions in rats. Cesk. farm. 12 no. 5:251-253 Je '63.

1. Ustav hematologie a krevni transfuse, Praha - Vyzkumny
ustav antibiotik, Roztoky.
(DEXTRAN) (ANAPHYLAXIS) (ANTIHISTAMINICS)
(CORTISONE) (PROMETHAZINE) (PROCALINE AMIDE)
(PHARMACOLOGY)

NIKL, J.; LEHKY, T.; STERBIKOVA, J.; JEHLICKOVA, M.

Metabolism of Heteroplasma. IV. Formation of urea and ammonia.
Cesk. gastroenterol. vyz. 17 no. 7:411-421 N°63

1. Ustav hematologie a krevni transfuze v Praze; reditel prof.
dr. J. Horejsi, DrSc.

JEHRING, H.

CZECHOSLOVAKIA

PALII, G.; JEHRING, H.

1. United Chemical Works, Budapest (for Palii); 2. Group for the Study of Physical Methods in Analytical Chemistry, German Academy of Sciences, Berlin; (for Jeiring)

Prague, Collection of Czechoslovak Chemical Communications, No 12, Dec 1965, pp 4339-4342.

"Dependence of the adsorption of organic compounds at the dropping mercury electrode on the structure. Part 6: Comparison of adsorptive activity of salicylanilide and 2-hydroxy-3-naphthyanilide derivatives."

JEHRING, H.

Adsorption investigation by oscillographic polarography
and alternating voltage polarography. Chem zvesti 18 no.5/6:
313-323 '64.

1. Working Group of Physical Methods of Analytical Chemistry,
German Academy of Sciences, Berlin.

L 41773-66 T DS
ACC NR: AP6031681

SOURCE CODE: HU/0005/65/071/1.. /0427/0432

AUTHOR: Jehring, Harry; Palyi, GyulaORG: [Jehring] Work Group for Physical Methods in Analytical Chemistry, German
Academy of Sciences, Berlin (Arbeitsgruppe fur Physikalische Methoden der Analytischen
Chemie der Deutschen Akademie der Wissenschaften); [Palyi] United Chemical Works,
Budapest (Egyesult Vegyimuvek)TITLE: Data on the structure of adsorption film forming on the surface of the
dropping mercury electrode, Part I

SOURCE: Magyar kemial folyoirat, v. 71, no. 10, 1965, 427-432

TOPIC TAGS: adsorption, electrochemistry

ABSTRACT: The tensammetric curves of a number of substances, specifically
of 4-([4"-methoxy-6"- (hydroxyethyl)amino-triazinyl]amino)-4'([4'"-ethoxy-
6'"-(hydroxyethyl) aminotriazinyl]amino)stilbene-2,2'-disulfonic acid and
4,4'-bis[(4'"-methoxy-6"-phenoxytriazinyl)amino]stilbene-2,2"-disulfonic
acid, show characteristic depressions. A study of these depressions indicated
that they could be explained by the formation of adsorption layers
on the surface of the dropping mercury electrode. The formation and structure
of this layer was investigated. Orig. art. has 10 figures. [JPRS: 33,540]

SUB CODE: 07 / SUBM DATE: 10Feb65 / ORIG REF: 006 / SOV REF: 002

OTH REF: 022

Card 1/1

L 47262-66 JAJ
ACC NR: AP6034685

SOURCE CODE: HU/0005/66/000/003/0097/0101

AUTHOR: Palyi, Gyula, and Jehrung, Harry (Palyi) United Chemical Works, Budapest (Egyes-Ult Vevyimuvek); Jehrung/Work Group for Physical Methods in Analytical Chemistry German Academy of Sciences in Berlin (Arbeitsgruppe fur Physikalische Methoden der Analytischen Chemie Deutsche Akademie der Wissenschaften zu Berlin) Berlin-Adlershof "Structure Dependence of the Polarographic Adsorption of Organic Compounds. II. Investigation of the Tensametric Curves of 4,4'-bis(triazinylamino)stilbene-2,2'-Disulfonic Acid Derivatives"

Budapest, Magyar Kemiai Folyoirat, Vol 72, No 3, Mar 66; pp 97-101.

Abstract [Authors' English abstract]: The tensametric curves of some variously substituted 4,4'-bis(triazinylamino)stilbene-2,2'-disulfonic acid derivatives have been investigated. It was found that at least from -0.10 V to -1.10V (SCE) the compounds are present on the surface of the dropping mercury electrode in adsorbed state. Owing to this adsorption, the electrode capacity is decreased in this potential range, and then the desorption process at -1.10 V gives rise to a tensametric wave. With some compounds deviations are observed in the shape of the polarogram indicating that although the substituents of the basic molecule have no effect on the adsorption ability at the mercury drop, they may affect the structure of the adsorption layer.

Orig. art. has: 10 figures and 1 table (PPS; 36.002)

TOPIC TAGS: adsorption, polarographic analysis, desorption, organic

sulfur compound

SUB CODE: 07 / SUBM DATE: 10 Feb 65 / ORIG REF: 005 / OTH REF: 004

Card 1/1

JcJu, M.

RUMANIA/General Biology. Individual Development

B-4

Abs Jour : Ref Zhur - Biol., No 22, 1958, No 98912

Author : Ramiccoanu C., Niclea G., Dragan M., Joju M.

Inst : Rumanian Academy, Baza Timisoarz

Title : Effect of Morphine, Adrenalin and Sodium Luminal
on Carbohydrate Metabolism During the Embryonic
Period of Ontogenesis

Orig Pub : Ser. stiinte med., 1956, 3, No 3-4, 63-72

Abstract : In an experiment with chicken embryos in 4 to 5
day incubation periods after the administration
into the chorioallantois of morphin (I), adrenalin
(II) and Na Luminal III the content of glycerin
was determined. Administration of I showed in
the first half of embryonic development a weak
and in the second half a strong anabolising ef-
fect. Administration of II and III during ear-
lier periods of ontogenesis produced catabol-
ising effect (provoking complete glycogenolysis).

Card : 1/2

OPPELN-BRONIKOWSKI, Karol; JEKA, Kazimierz

Universal apparatus for inhalation anesthesia. Polski przegl.
chir. 35 no.3:187-191 '63.

1. Z II Kliniki Chirurgicznej AM w Gdansku Kierownik: prof.
dr K. Debicki.

(ANESTHESIA, INHALATION) (EQUIPMENT AND SUPPLIES)

HUNGARY

FORGON, Mihaly, Dr., JEKEL, Pali; Medical University of Debrecen, I. Surgical Clinic (director: SZELECKY, Gyula, Dr) (Debreceni Orvostudomanyi Egyetem, I. sz. Sebeszeti Klinika).

"Light Abduction Splint Made of Polystyrol."

Budapest, Magyar Traumatologia, Orthopaedia es Helyreallitó Sebészet, Vol X, No 1, Feb 67, pages 76-77.

Abstract: [Authors' English summary modified] The advantages of a light abduction splint made of polystyrol, produced in Hungary under the name of "Hungarocell", are described and the results of a comparative study of similar equipment, used previously, are discussed. No references.

2473
1/1

JEKELEFALUSSY, Gabor, dr., a muzsaki tudomanyok kandidatusa; KERTAY, Zoltan

The manufacture of 3000 LF locomotives with silicon rectifiers has started in Hungary. Vasut 14 no. 6:6-7 Je '64.

JEKELFALUSSY, Gabor, a muzsaki tudomanyok kandidatusa

Main dimensions of direct-current railroad traction motors
in the function of building in of the motors. Elektrotechnika
55 no.5:196-201 My '62.

1. Klement Gottwald Villamossagi Gyar.

JEKELFALUSSY, Gabor, dr., okleveles gepeszmernok, a muszaki tudomanyok kandidatusa, meghivott eloado

Railroad motors fed by single-phase rectifiers. Elektrotechnika 56 no.5:203-208 My '63.

1. Budapesti Muszaki Egyetem; Klement Gottwald Villamossagi Gyar osztalyvezetoje, Budapest, II., Lovohaz u.39.

NUDEAN, Viorela, dr.; DR. (f), Nedea; (NEDEA), dr., dr.

Chronic infantile hypoplastic anemia (Markoff's second type).
Pediatrica (Bucur) 14 no.2: 73-79. Print. 1965.

1. Cu varice efectuata la Sertin în pediatric (căzună de
dr. N. Nedea), Spitalul nr. 2, Bucureşti.


JEKELY, Endre, dr.

Transportation tasks in connection with the ingathering and other agricultural problems. Kozleked kozl 19 no.26:459-460 30 Je '63.

JEKELY, Endre, dr., foeloado

Efforts to reduce tractor accidents. Kozleked kozl 20 no.49:809-
810 6 D '64.

1. Department of Planning and Economics of the Ministry of
Agriculture, Budapest.



JEKHOVSKI, V.

New method for determining parabolic orbits. P. 53. ZBORNIK RADOVA,
No. 42, 1954

SOURCE: East European Accessions List (EEAL), LC, Vol. 5, No. 2, Feb. 1956

J E K I E, B R A H M

RADOJICIC, Bojivoje; RUDOVIC, Milan; JEMIC, Branka

Clinical manifestations of subacute leukoencephalitis. Med. glasm.
11 no. 4; 142-147 Apr 57.

1. Neurosihijatricka klinika Medicinskog fakulteta u Beogradu
(Upravnik: prof. dr U. Jekic)
(ENCEPHALITIS, case reports
leukoencephalitis (Ser))

JEKIC, D.

"Practical searching and measurements on the mobile communication center; the organization and kinds of measurement. (To be contd.)."

p. 751 (Vojno-Tehnicki Glasnik) Vol. 5, no. 10, Oct. 1957
Belgrade, Yugoslavia

SO: Monthly Index of East European Accessions (EEAI) LC. Vol. 7, no. 4,
April 1958

JEKIC, D.

"Controlling and measuring radio-transmitting stations. (To be contd.)."

p. 826 (Vojno-Tehnicki Glasnik) Vol. 5, no. 11, Nov. 1957
Belgrade, Yugoslavia

SO: Monthly Index of East European Accessions (EEAI) LC, Vol. 7, no. 4,
April 1958

JEKIC, D.

"Testing and measuring a mobile electric wire center."

p. 902 (Vojno-Tehnicki Glasnik) Vol. 5, no. 12, Dec. 1957
Belgrade, Yugoslavia

S0: Monthly Index of East European Accessions (EEAI) IC. Vol. 7, no. 4,
April 1958

JEKIC, Milan.

(Practical application of artificial fertilizers) Skopje, Zadruzen zivot, 1951. 77 p.

and VII delayed from the
penditures and returns the following minis. due to
used (arranged in decreasing efficiency): I-IV-V; I-V
I-IV-V; III-IV-V.
Werner Heukens

JEKIĆ, MIRJAN

The utilization coefficient of the phosphoric acid in lime-free red earth. Milutin Jekić and Marija Džonova (Zemljopisko-Sumarski Fak., Skopje, Yugoslavia). *Zemljodjelstvo i Biljka* 2, 431-8 (1953). — The utilization coeff. of P_2O_5 in lime-free red earth was generally low, varying from 6.18% for 300 kg./ha. to 8.03% for 900 kg./ha. of the superphosphates. This coeff. is increased by using granular instead of powd. fertilizer, the available P being protected in grains for longer time from the degradation action of Al and Fe.

Silvija Barabas

JEKIC, M.

Results of the comparative fertilizing with stable manure and mineral fertilizers.
p. 3.

(HEMIZACIJA POLJOPRIVREDE. JOURNAL OF FERTILIZERS AND CROP PROTECTION. No. 2,
1956. Yugoslavia.)

SO: Monthly List of East European Accessions (EEL) LC, Vol. 6, no. 7, July 1957. Uncl.

JEKIC, M.

Effect of Thomas meal applied to calcareous soil on the yield and quality of wheat and maize; a preliminary report. p. 7.
(GLASNIK, No. 3, 1956 (Published 1957)

SO: Monthly List of East European Accessions (EEAL) LC Vol. 6, No. 12, Dec. 1957
Uncl.

JEKIC, M.; STOJKOVSKA, A.

Effect of fertilizers on the yield and quality of lucerne grown in the Vardar River alluvium.

P. 109 (ZEMLJISTE I EILKA) (Beograd, Yugoslavia) Vol. 5, no. 1/3, Jan./Dec. 1956

SO: Monthly Index of East European Accessions (EEAI) LC Vol. 7, No. 5. 1958

JEKIC, M.; DZEKOVA, M.

The effect of various uses of superphosphate on the yield of cotton in limeless
red soils. p. 11.
(Socijalisticko Zemjodelstvo, Vol. 8, no. 10, Oct. 1956. Yugoslavia)

SO: Monthly List of East European Accessions (EEAL) LC, Vol. 6, no. 7, July 1957. Uncl.

YUGOSLAVIA / Soil Science. Mineral Fertilizers.

J-4

Abs Jour: Ref Zhur-Biol., No 8, 1958, 34382.

Author : Jekik, Milan.

Inst : Not given.

Title : Necessity of Chemical Affinity: Contemporary Experiment and Certain Problems of Application of Artificial Fertilizers in Macedonia (Yugoslavia).

Orig Pub: Sots. zemjodelstvo, 1957, 9, No 2, 41-58.

Abstract: The necessity of chemical affinity in agriculture is pointed out; various experiments on artificial fertilizers with cereals, cotton, sugar beets, potatoes, lucerne, meadow and pasture cultivations are cited. Questions of dosage of fertilizers, duration of their action and certain agro-technical methods are analyzed. The experiment of using trace elements is also exposed.
Bibl. 33 titles. -- O. S. Grebenshchikov.

Card 1/1

JEKIC, M.

Assimilation of nitrogen, phosphorus, and potassium during
the vegetation period of sugar beets. Zemljiste biljka 11.
no.1/3:443-449 '62.

1. Zemjodelsko-sumarski fakultet, Skopje.

YUGOSLAVIA

JEKIC, Uros; SMODIKA, Jakov. Neuropsychiatric Clinic of Medical Faculty of the University (Neuropsihijatrijska Klinika Medicinskog Fakulteta Univerziteta), Head (Upravnik) JEKIC, Prof Dr Uros; Belgrade

"Our First Experiences in the Use of Zarontin in the Treatment of Some Forms of Epilepsy"

Belgrade, Srpski Arhiv za Celokupno Lekarstvo, Vol 94, No 2, 1966; pp 113-117

Abstract: [German summary modified] Use of ethosuximide in 10 young persons, with continuous electroencephalographic surveillance revealed good results in 9; in one girl aged 14 there was no effect from the drug and a worsening in the EEG; treatment was discontinued. 10 case reports, 9 Western references. Manuscript received 10 Nov 65.

1/1

JEKIC, Uros

Alcoholism, a health problem. Srpski arh. celok. lek. 85 no.4;
456-461 Apr 57.

1. Neuropsihijatrica klinika Medicinskog fakulteta u Beogradu
Upravnik: prof. dr. Uros Jakic.
(ALCOHOLISM
(Ser))

JEKIC, Uros, prof., dr; STOJILJKOVIC, Srboljub, doc. dr; MILOVANOVIC, Dimitrije, dr; POLEKSIC, Joko, dr; BANDUR, J., dr

Role of the bacterial flora of the pharynx in acute symptomatic psychoses. Med. glas. 15 no.4:185-188 Ap '61.

1. Neuro-psihijatrijska klinika Medicinskog fakulteta u Beogradu
(Upravnik: prof. dr U. Jekic)

(PHARYNX microbial) (PSYCHOSES)

HORVATH, Imre, dr.; JEKKEL, Magda, dr.; MOSONYI, Laszlo, dr.; SOOS, Ilona, dr.

Attempted reversal of antibiotic-resistance in hospital-borne bacterial strains. Orv. hetil. 102 no.14:634-637 2 Ap '61.

1. Fovarosi Bajcsy-Zsilinszky Korhaz, II Belosztaly es Laboratorium.

(ANTIBIOTICS pharmacol)

JEKL, F.

Some remarks on a revolving mechanism with arbitrary shifting on looms. p. 166.

TEXTIL. (Ministerstvo lehkého průmyslu) Praha, Czechoslovakia. Vol. 14, no. 5, May 1959.

Monthly list of East European Accessions (EEAI), LC, Vol. 8, no. 10, Oct. 1959. Uncl.

SIPOS, G.; JEKL, J.

About some reactions of 4'-nitro-2'-hydroxy-chalcone. Acta
phys chem Szeged 10 no.1/2:57-58 '64.

1. Institute of Applied Chemistry of Attila Jozsef University,
Szeged.

JEKLER, J.; VANECKOVA, O.

Gastric carcinoma following surgery of gastroduodenal ulcer. Cesk. gastroenter. 12 no.6:412-417 Nov 58.

1. II. chirurg. klinika KU v Praze, prednosta akademik J. Divis,
J. J. Praha 2, U Nemocnice 2.

(GASTRECTOMY, compl.

postop. cancer in peptic ulcer surg. (Cz))

(STOMACH NEOPLASMS, case reports,

post-gastrectomy, in peptic ulcer surg. (Cz))

EXCERPTA MEDICA Sec o Vol 13/10 Surgery Oct. 59

6007. NON-SPECIFIC MESENTERIC LYMPHADENITIS - Nespecifická mesenterická lymfadenitida - Jekler J. II. Chir. Klin. KU, Praha - ROZHL. CHIR. 1958, 37/8 (555-559) Graphs 1

Non-specific mesenteric lymphadenitis is a disease of children and adolescents. It is only exceptionally observed in adults. As regards the aetiology, there are two opposed theories: the virogenic and the appendico-pathogenic theory. Clinically, it is difficult to distinguish the condition from acute appendicitis and it is recommended always to remove also the macroscopically normal appendix. Thirty personally operated cases are reported.

Wondrák - Olomouc

JEKLER, J.; VANECKOVA, O.

Causes of late diagnosis of cancer of stomach. Cas. lek. cesk. 97 no.22:
673-675 30 May 58.

1. II. chirurg. klinika MU v Praze, prednosta akademik J. Divis. J.J.,
Praha 1, Nerudova 13.

(STOMACH NEOPIASMS, diag.
early (Cz))

JEKLER, Jason

Ileus biliaris. Acta Universitatis Carolinas, Medica 5:293-310
1959.

1. II chirurgicka klinika fakulty vseobecneho lekarstvi, pred-
nosta akademik J. Divis.

(INTESTINAL OBSTRUCTION etiol.)
(CHOLELITHIASIS compl.)

JEKLER, J.; VANECKOVA, O.

The role of stomach resection and of gastroenterostomy in gastro-duodenal ulcer in the anamnesis of stomach cancer. Neoplasma, Bratisl. 6 no.4:437-442 1959.

1. II. Chirurgische Klinik, Karls Universitat, Prag.
(GASTRECTOMY)

JEKLER, J.; FRIEDBERGER, V.

Lymphoreticular sarcoma of the stomach. Česk. gastroent. vyz.
15 no. 7: 523-527 N '61.

1. II chirurgicka klinika KU, predn. doc. J. Lhotka.
(STOMACH NEOPLASMS in old age)
(SARCOMA RETICULUM CELL in old age)

JEKLER, J.

Inflammatory gastric stenosis caused by hydrochloric acid burns.
Rozhl. chir. 40 no.8:557-561 Ag '61.

1. II chirurgicka klinika KU v Praze.

(STOMACH wds & inj) (HYDROCHLORIC ACID toxicol)

JEKLER, J.

- RECORDED IN
1. "Interpretation of the Clinical Observations of General Peritonitis and Gastritis" by Dr. G. S. Dutt, M.D., F.R.C.P., in "Gastric Ulcers," edited by Sir Charles H. Best, M.A., M.B., B.Chir., F.R.C.S., F.R.C.P., London, 1922.
2. "Medical Treatment of the Patients with Unregulated Gastritis" by Dr. G. S. Dutt, M.D., F.R.C.P., in "Gastric Ulcers," edited by Sir Charles H. Best, M.A., M.B., B.Chir., F.R.C.S., F.R.C.P., London, 1922.
3. "Treatment of Peptic Ulcer" by Dr. G. S. Dutt, M.D., F.R.C.P., in "Gastric Ulcers," edited by Sir Charles H. Best, M.A., M.B., B.Chir., F.R.C.S., F.R.C.P., London, 1922.
4. "Medical Aid in the Treatment of the Abnormalities of Gastric and Rectal Function," by Dr. G. S. Dutt, M.D., F.R.C.P., in "Gastric Ulcers," edited by Sir Charles H. Best, M.A., M.B., B.Chir., F.R.C.S., F.R.C.P., London, 1922.
5. "Gastric Acid Secretion of Individuals Having 24 Hours of Intermittent Fasting," by Dr. G. S. Dutt, M.D., F.R.C.P., in "Gastric Ulcers," edited by Sir Charles H. Best, M.A., M.B., B.Chir., F.R.C.S., F.R.C.P., London, 1922.
6. "Abnormal Secretion of Gastric Acid During 24 Hours of Intermittent Fasting," by Dr. G. S. Dutt, M.D., F.R.C.P., in "Gastric Ulcers," edited by Sir Charles H. Best, M.A., M.B., B.Chir., F.R.C.S., F.R.C.P., London, 1922.
7. "Hypertrophic Pylorospasm," by Dr. G. S. Dutt, M.D., F.R.C.P., in "Gastric Ulcers," edited by Sir Charles H. Best, M.A., M.B., B.Chir., F.R.C.S., F.R.C.P., London, 1922.
8. "The Diagnosis of Hypertrophic Pylorospasm" by Dr. G. S. Dutt, M.D., F.R.C.P., in "Gastric Ulcers," edited by Sir Charles H. Best, M.A., M.B., B.Chir., F.R.C.S., F.R.C.P., London, 1922.
9. "The Problem of Hypertrophic Cholecystitis" by Dr. G. S. Dutt, M.D., F.R.C.P., in "Gastric Ulcers," edited by Sir Charles H. Best, M.A., M.B., B.Chir., F.R.C.S., F.R.C.P., London, 1922.
10. "Herniation Insufficiency of the Brain," by Dr. G. S. Dutt, M.D., F.R.C.P., in "Gastric Ulcers," edited by Sir Charles H. Best, M.A., M.B., B.Chir., F.R.C.S., F.R.C.P., London, 1922.

— 1/2 —

JEKLER, J.; DONOCIK, A.

Thrombosis of the superior mesenteric veins in patients with liver cirrhosis. Cesk. gastroent. vyz. 17 no. 3:175-179 Ap '63.

1. II chirurgicka klinika fakulty vseobecneho lekarstvi KU v Praze, predmosta prof. dr. J. Ihotka - III interni klinika fakulty vseobecneho lekarstvi KU v Praze, predmosta akademik J. Charvat.

(MESENTERIC VASCULAR OCCLUSION)
(LIVER CIRRHOSIS) (HEPATITIS, INFECTIOUS)
(MESENTERIC VEINS)

JEKLER, J.; ALESOVA, H.; HUSLAROVA, A.

Congenital cystic dilatation of the common bile duct. Rozhl.
chir. 42 no.6:383-387 Ja 1963.

I. II chirurgicka klinika fakulty všeobecného lekarství KU
v Praze, prednosta prof. dr. J. Lhotka. Interní oddelení
fakultní polikliniky v Praze 2, vedoucí prof. dr. K. Herfort.
(COMMON BILE DUCT) (SURGERY, OPERATIVE)
(ABNORMALITIES) (CYSTS)

JEKLER, J. ; BOREK, Z.

Interposition of the transverse colon in the treatment of post-resection reflux esophagitis. Cesk. gastroent. vyz. 17 no.8: 473-476 D:63

1. II. chirurgicka klinika fakulty vseobecneho lekarstvi Karlovy University v Praze; prednosta prof. dr. J. Ihotka, CSe.

JEKLER, J.; SCHLUPEK, A.

Simultaneous lipoblastic sarcoma and fibrosarcoma of the retro-peritoneum. Rozh. chir. 43 no.1:25-30 Ja'64.

I. II. chirurgicka klinika fakulty vseobecneho lekarstvi v Praze (prednosta: prof. dr. J. Lhotka) a II. Patologickoanatomicky ustav fakulty vseobecneho lekarstvi KU v Praze (prednosta: prof. dr. V. Jedlicka).

JEKLER, J., VINCENCOVA, B.; SETKA, J.

Contribution to the treatment of ascites in liver cirrhosis
with entectomy of an ileal loop. Rozh. chir. 43 no.1:
47-50 Ja'64.

1. II. chirurgicka klinika fakulty vseobecneho lekarstvi
KU v Praze (prednosta: prof.dr.J. Lhotka) a II.interni kli-
nika fakulty vseobecneho lekarstvi KU v Praze (prednosta:
prof.dr. F. Herles).

*

JEKLER, J.; KOBYLKOVÁ, M.; BEJBLIKOVÁ, M.; KLOS, J.

Resection of the esophagus with transposition of the colon
in children with recurrent hemorrhage in esophageal varices,
previously treated by suturing. Rozhl. chir. 43 no.2:83-88
Fr'64.

I. II. chirurgicka klinika fakulty vseobecneho lekarstvi KU
v Praze (prednosta: prof. dr. J. Jhotka); III. detska klinika
fakulty vseobecneho lekarstvi KU v Praze (prednosta: prof. dr.
O. Vychytil) a Detska otolaryngologicka klinika fakulty detskeho
lekarstvi KU v Praze (prednosta: doc. dr. J. Klos).

31-

JEKLER,J.; BOREK,Z.; VANECKOVA,O.; KRAUS,M.

Remote results of the surgical treatment of achalasia. Cas.lek.
cesk. 103 no.13:329-334 27 Mr'64

1. II.chirurgicka klinika fakulty vseobecneho lekarstvi KU v
Praze; prednosta: prof.dr. J.Ihotka.

*

JEKLER, J.; BOREK, Z.; VINCENCOVA, B.; FRIEDBERGER, V.

Surgical treatment of extrahepatic portal hypertension. Rozhl.
chir. 43 no.8:505-513 Ag '64.

1. II chirurgicka klinika fakulty vseobecneho lekarstvi Karlovy
University v Praze (prednosta prof. dr. J. Lhotka).

LHOTKA, J.; JEKLER, J.; BOREK, Z.; JEKLEROVA, J.

Extrahepatic portal hypertension in childhood. Cesk. pediat.
19 no.11:973-978 N '64

I. II. chirurgicka klinika (prednosta - prof. dr. J. Lhotka) a
III. detska klinika (prednosta - prof. dr. C. Vychytil) fakulty
vseobecneho lekarstvi Karlovy University v Praze.

ANDRYSEK, O.; ANDRYSKOVA, J.; DIENSTBIER, Z.; JEKLER, J.; JEKLOVA, J.;
SETKA, J.

Isotope examination of the portal circulation. Acta univ. Carol.
[med] (Praha): Suppl. 18: 49-48 '64.

I. Biofysikalni ustav fakulty vseobecneho lekarstvi University
Karlovych v Praze (prednosta: doc. dr. Z. Dienstbier); II. chirur-
gicka klinika fakulty vseobecneho lekarstvi University Karlovych
v Praze (prednosta: prof. dr. J. Lhotka); III. detska klinika
fakulty vseobecneho lekarstvi University Karlovych v Praze (pred-
nosta: prof. dr. O. Vychytil); a II. interni klinika fakulty
vseobecneho lekarstvi University Karlovych v Praze (prednosta:
prof. dr. F. Herles).

ANDRYSEK, O.; ANDRYSKOVA, J.; DIENSTBIER, Z. doc. dr.; JEKLER, J.; JEKLEROVA, J.;
SETKA, J.

Isotope methods in the examination of the portal circulation.
Cas. lek. cesk. 104 no. 10: 257-262 12 Mr '65.

1. Biofyzikalni ustav fakulty vseobecneho lekarstvi Karlovy University v Praze (prednosta: doc. dr. Z. Dienstbier);
- II. chirugicka klinika fakulty vseobecneho lekarstvi Karlovy University v Praze (prednosta: prof. dr. J. Ihotka); III. detska klinika fakulty vseobecneho lekarstvi Karlovy University v Praze (prednosta: prof. dr. O. Vychytil) a II. interni klinika fakulty vseobecneho lekarstvi Karlovy University v Praze (prenosta: prof. dr. F. Herles).

JEKLEROVA, J.; ELEFANT, E.; TOSOVSKY, V.; JELINEK, J.

Hygroma cysticum colli in children. Cesk. pediat. 13 no.9:787-792 5
Oct 58.

1. III. detska klinika Karlovy univeristy v Praze, prednosta prof. dr.
Otto Vychytil Detska chirurgicka klinika v Praze, prednosta doc. dr.
V. Kafka.

(LYMPHANGIOMA, in inf. & child
hygroma cysticum colli (Cz))

JEKLEROVA, J.; ELEFANT, E.; PETRASEK, J.

Endocrino-active sympathoblastoma in a 12-month-old infant.
Cesk. pediat. 19 no. 1:47-49 Ja'64.

1. III. detska klinika fakulty vseobec. lekarstvi KU v Praze
(prednosta: prof.dr. O.Vychytil) a III. interni klinika fa-
kulty vseobec. lekarstvi KU v Praze (prednosta: akademik
J.Charvat).

ELEFANT, E.; JEKLEROVA, J.; JANELE, J.

Congenital hypoplastic erythroid anemia in infants. Cesk.pediat.
19 no.3:254-257 Mr'64.

1. III. detska klinika fakulty vseobecneho lekarstvi KU v Praze
(prednosta: prof.dr. O.Vychytil) a Hematologicke oddeleni fa-
kultni nemocnice v Praze 10 (vedouci: MUDr. J.Janele, CSc.)

CERNY,M.; ELEFANT,E.; JEKLOROVA,J.; RYCHTEROVA,V.

Autosomal mosaic 45/46/47 in Down's disease with an unusual heart abnormality. Cas.lek.cesk. 103 no.10:270-274 ; 6 Mr'64.

1. Biologicky ustav fakulty vseobecneho lekarstvi KU v Praze; (prednosta: prof. MUDr. et RNDr. B.Sekla); III.detska klinika fakulty vseobecneho lekarstvi KU v Praze (prednosta: prof. dr. O.Vychytil) a II.patologickoanatomicky ustav fakulty vseobecneho lekarstvi KU v Praze (prednosta: prof.dr.V.Jedlicka).

*